# KINDER\*

## Sydney Compact Cot ASSEMBLY INSTRUCTIONS



# IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY

Dimensions(cm): (L)105 x (W)56 x (H)91\*
Fits Mattress Size(cm): (L)100 x (W)50
• Easy assembly • Safe & Sturdy • Space Saver Size
• 3 Base Height Positions • Teething Rails

\*Approx. measurements only. Sizes may vary.

Contact Us... E sales@kinder-valley.com T 0844 7744644 - Option 2 www.kinder-valley.com



## SYDNEY COMPACT COT ASSEMBLY INSTRUCTIONS

### Before you start

## IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY

#### Instructions for safe use:

WARNING - Be aware of the risk of open fire and other sources of strong heat, such as electric bar fires, gas fires, etc. in the near vicinity of the cot.

WARNING - Do not use this child's cot if any part is broken, torn or missing and use only spare parts approved by Kinder Valley.

WARNING - Do not leave anything in the cot or place the cotbed close to another product, which could provide a foothold or present a danger of suffocation or strangulation, eg. strings, blind/curtain cords etc.

WARNING - Do not leave anything in the cot or place the cot close to another product, which coul provide a foothold or present a danger of suffocation or strangulation, e.g strings, blind/curtain cords.

WARNING - Do not use more than one mattress in the cot.

This Kinder Valley compact cot conforms to BS EN 716-1:2017.

This Kinder Valley compact cot is suitable from birth to approximately 3 years.

To be prevent injury, the compact cot should not be used as soon as the child is able to climb out of the cot unaided.

The lowest mattress base position is the safest, the base should always be used in that position as soon as the baby is old enough to sit up.

This compact cot is intended to be used by one child at a time.

Thickness of the mattress shall be such that the internal height (surface of the mattress to the upper edge of the cot frame) is at least 500mm in the lowest position of the cot base and at least 200mm in the highest position of the cot base.

We recommend you use any Kinder Valley mattress size 100cm x 50cm x 10cm. The length and width shall be such that the gap between the mattress and sides and ends does not exceed 30mm.

Use only on firm ground which is on a horizontal level and dry.

All assembly fittings should be tightened properly and fittings should be checked regularly and retightened as necessary.


This cot is designed to be dismantled and packed flat for storage or transportation.


In order to clean, use only a mild detergent and warm water. Do not bleach or use any abrasive substances.

### Fixtures & Fittings


CHECK THAT YOU HAVE ALL FIXTURES AND FITTINGS BEFORE ASSEMBLY, AND ENSURE THEY ARE NOT BROKEN.








Join Compact Cot End A to Side Rail B with x2 Bolts D and x2 Barrel Nuts E.




Join remaining Compact Cot End A to Step 1 with x2 Bolts D and x2 Barrel Nuts E.



Join Compact Cot Base C to Step 2 at the required height with x4 Bolts D and x4 Barrel Nuts E.





Complete assembly of your Compact Cot by joining the remaining Side Rail with x4 Bolts and x4 Barrel Nuts.

#### **IMPORTANT - RETAIN FOR FUTURE REFERENCE**